Skill Sheet

Control Bleeding using a CoTCCC-Recommended Hemostatic Dressing

<u>Objective:</u> Demonstrate the proper technique and procedures for applying a hemostatic dressing to control hemorrhage.

References:

PHTLS (Military Version) Eighth Edition, Jones and Bartlett Learning

Evaluation: Students will be evaluated as a Pass/Fail (P/F). The instructor will verify the accuracy of the student's ability to apply a hemostatic dressing effectively on the wound of a fellow student simulating a casualty by means of observing the student's procedures and technique.

Materials:

Student Checklist

Fully loaded medical aid bag to include the selected hemostatic dressing Moulaged Manikin

Instructor Guidelines:

- 1. Provide each instructor with a Student Checklist.
- 2. Ensure student has all student-required materials
- 3. Read the Learning Objective and the evaluation method to the student.
- 4. Explain the grading of the exercise.
- 5. Allow time for the students to extract the information required from the instructor-provided scenario.

Performance Steps:

- 1. Expose the injury by opening or cutting away the casualty's clothing.
- 2. If possible, remove excess blood from the wound while preserving any clots that may have formed.
- 3. Locate the source of the most active bleeding.
- 4. Remove the hemostatic dressing from its sterile package and pack it tightly into the wound directly over the site of the most active bleeding.
- 5. More than one dressing may be required to control the hemorrhage.
- 6. Apply direct pressure quickly with enough force to stop the bleeding.
- 7. Hold direct pressure for a minimum of 3 minutes.
- 8. Reassess for bleeding control.
- 9. More dressing may be packed into the wound as necessary to stop any continued bleeding.
- 10. Leave the dressing in place.
- 11. Secure the hemostatic dressing in place with a pressure dressing.
- 12. Document and transport.

Control Bleeding using a Hemostatic Dressing

Task Completed

	1st	2nd	3rd		
Verbalized: Do not use for minor wounds that do not entail severe bleeding.	P / F	P / F	P / F		
Exposed the injury by cutting away the casualty's clothing.	P / F	P / F	P / F		
Placed the hemostatic dressing directly into the wound where the bleeding was the heaviest.	P / F	P / F	P / F		
Held pressure on the hemostatic dressing for 3 minutes.	P / F	P / F	P / F		
INSTRUCTOR: Inform the student that 3 minutes have passed.					
Reassessed the wound to ensure that bleeding stopped – left the dressing in place if bleeding was controlled.	P / F	P / F	P / F		
Applied a sterile pressure dressing over the hemostatic dressing to secure it in place.	P / F	P / F	P / F		
Documented treatment.	P / F	P / F	P / F		

Critical Criteria:

 _ Did not apply direct pressure for at least 3 minutes after application.
 _ Did not confirm hemostasis before applying pressure dressing.

Evaluator's Comments:		
Student Name:	Date:	
Evaluator:	Pass:	Fail: